Permatex, Inc. 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex

(877) 376-2839

Emergency: 800-255-3924

International Emergency: 813-248-0585

Balderson KG RECD MAY 0 8 2007

# **Material Safety Data Sheet**

## 1. PRODUCT IDENTIFICATION

Product Name: NAPA 765-3022 MEDIUM STRENGTH THREADLOCKER BLUE GEL 10 GR

Item No: 21197
Product Type: Anaerobic

2. COMPOSITION/INFORMATION ON INGREDIENTS						
Ingredient	Weight Percent	ACGIH TLV:	OSHA PEL:			
POLYGLYCOL DIMETHACRYLATE 25852-47-5	35-45	Not Listed	Not Listed			
POLYESTER RESIN MIXTURE	15-25	Not Listed	Not Listed			
BENZOATE ESTERS MIXTURE	15-25	Not Listed	Not Listed			
TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE 67762-90-7	1-10	10 mg/m³ total dust TLV	10 mg/m³ total dust			
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	<3	Not Listed	Not Listed			
PROPYLENE GLYCOL 57-55-6	<3	Not Listed	Not Listed			
POLYAMIDE WAX MIXTURE	<3	Not Listed	Not Listed			
TITANIUM DIOXIDE 13463-67-7	0.1-1.0	10 mg/m³ TWA ACGIH	15 mg/m³ TWA (total dust)			

## 3. HAZARDS IDENTIFICATION

Toxicity: Ma

May cause eye and skin irritation. At elevated temperatures may cause irritation of the respiratory tract. Irritates mucous membranes. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. High concentrations may cause central nervous system (CNS) depression. May cause skin sensitization. Note: This product does not contain microcyrstalline silica.

Primary Routes of Entry:

Eye and skin contact, ingestion, inhalation

Signs and Symptoms of Exposure:

Repeated skin contact may cause allergic skin reactions. Skin redness. Ingestion may cause nausea and vomiting. Inhalation overexposure may cause irritation, coughing and flu-like symptoms. May cause pain, redness or swelling of the eyes and excessive blinking and tear production.

Ingredient	Weight Percent	NTP	ACGIH Carcinogens	IARC
TITANIUM DIOXIDE 13463-67-7	0.1-1.0	male rat-negative, female rat-negative, male mice-negative, female mice-negative		Group 2B; Vol 93,2006; Vol 47,1989

Medical Conditions Recognized as Being Aggravated by Exposure: Preexisting skin disorders.

#### 4. FIRST AID MEASURES

Ingestion:

If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention. Move to fresh air in case of accidental inhalation of vapours. Obtain medical attention.

Skin Contact:

Wash off with soap and water. If skin irritation persists, call a physician.

Eye Contact: In case of c

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical

attention if irritation persists.

### 5. FIRE FIGHTING MEASURES

Flash Point (°F/C):

More than 200 degrees C. Method: PMCC

Product Name: NAPA 765-3022 MEDIUM STRENGTH

THREADLOCKER BLUE GEL 10 GR

### 5. FIRE FIGHTING MEASURES

Recommended Extinguishing Media:

Special Fire-Fighting Procedures: Hazardous Products of Combustion:

Unusual Fire/Explosion Hazards:

Water fog, carbon dioxide, foam, dry chemical.

Firefighters should wear self-contained breathing apparatus.

Irritating vapors

Closed containers may rupture or explode when exposed to extreme heat.

Item No: 21197

Lower Explosive Limit: Not determined Upper Explosive Limit: Not determined

#### 6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until

disposal.

## 7. HANDLING AND STORAGE

Storage: Store below 100 degrees F.

Handling: Avoid prolonged skin contact. Keep away from eyes.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses

Skin: Rubber or plastic gloves.

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure

limits (or to the lowest feasible levels when limits have not been established) during the use of this

product.

Respiratory Protection: An approved respirator (i.e. NIOSH, etc.) should be worn when exposures are expected to exceed the

applicable limits.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue get
Odor: MILD

Boiling Point: More than 150 degrees C.

pH: Does not apply Solubility in Water: Insoluble

Specific Gravity: >1.0

VOC Content(Wt.%):
Vapor Pressure:
Not determined
Vapor Density (Air=1):
Evaporation Rate:
Not Determined

#### 10. STABILITY AND REACTIVITY

Chemical Stability: Stable at normal conditions

Hazardous Polymerization: WILL NOT OCCUR.

Incompatabilities: Strong oxidizers, free radical initiators, inert gases.

Conditions to Avoid:

Hazardous Products of Combustion: Irritating vapors

## 11. TOXICOLOGICAL INFORMATION

See Section 3

#### 12. ECOLOGICAL INFORMATION

No data available

#### 13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations.

US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material

### 14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

**Domestic Ground Transport** 

DOT Shipping Name: Unrestricted

Heat

Product Name: NAPA 765-3022 MEDIUM STRENGTH

THREADLOCKER BLUE GEL 10 GR

Hazard Class:

None

**UN/ID Number:** 

None

Marine Pollutant: None

**IATA** 

Proper Shipping Name:

Not regulated

Class or Division: **UN/NA Number:** 

None None

**IMDG** 

Proper Shipping:

Unrestricted

Hazard Class: None **UN Number:** 

None

#### **15. REGULATORY INFORMATION**

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

DIMETHYLBENZYL HYDROPEROXIDE

**CALIFORNIA PROP 65:** 

No California Prop 65 chemicals are known to be present.

**TSCA Inventory Status:** 

Listed on Inventory: YES All components of this product are listed (or exempt) on the EPA TSCA inventory.

#### 16. OTHER INFORMATION

**Estimated NFPA Rating:** 

HEALTH 2, FLAMMABILITY 1, REACTIVITY 1

Estimated HMIS Classification:

HEALTH 2, FLAMMABILITY 1, PHYSICAL HAZARD 0

NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By:

Denise Boyd, Health and Safety Manager

Revision Date: 12/13/2006

Item No: 21197

Company:

Permatex. Inc. 10 Columbus Blvd. Hartford, CT USA 06106

Revision 3

Number: