

# SAFETY DATA SHEET

Version 6.7 Revision Date 08/06/2024 Print Date 08/07/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Cetylpyridinium chloride

Product Number : C0732

Brand : Sigma-Aldrich CAS-No. : 6004-24-6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 2), H330 Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Sigma-Aldrich - C0732

Page 1 of 10



Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

**Precautionary Statements** 

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P284 Wear respiratory protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

3.1 Substances

Synonyms : Hexadecylpyridinium chloride

Cetylpyridinium chloride

Formula :  $C_{21}H_{38}CIN \cdot H_2O$ 

Sigma-Aldrich - C0732

Page 2 of 10



Molecular weight : 358.00 g/mol CAS-No. : 6004-24-6 EC-No. : 204-593-9

Component	Classification	Concentration
Cetylpyridinium chloride monohydrate		
	Acute Tox. 4; Acute Tox. 2; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; H302, H330, H315, H318, H335, H400 M-Factor - Aquatic Acute: 100	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

No data available

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

No data available

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas Combustible.

## 5.3 Advice for firefighters

No data available

## 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

For personal protection see section 8.

Sigma-Aldrich - C0732

Page 3 of 10



#### 6.2 **Environmental precautions**

No data available

#### Methods and materials for containment and cleaning up 6.3

No data available

#### 6.4 **Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

## Precautions for safe handling

For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

No data available

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

#### 8.2 **Exposure controls**

### Personal protective equipment

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Sigma-Aldrich - C0732

Page 4 of 10



### **Control of environmental exposure**

Prevent product from entering drains.

# **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

a) Appearance Form: solid

Color: white

b) Odor characteristic

c) Odor Threshold No data available

d) pH 5.0 - 5.4 at 10 g/l at 20 °C (68 °F)

Melting point: 80 - 84 °C (176 - 183 °F) e) Melting

f) Initial boiling point

point/freezing point

120 - 124 °C 248 - 255 °F at 0.09 hPa and boiling range

g) Flash point ()Not applicable h) Evaporation rate No data available

Flammability (solid, gas)

No data available

Upper/lower j) flammability or explosive limits

No data available

k) Vapor pressure No data available No data available Vapor density No data available m) Density

Relative density No data available

n) Water solubility 111 g/l at 20 °C (68 °F) log Pow: 1.71 at 20 °C (68 °F) - (anhydrous substance), o) Partition coefficient:

n-octanol/water Bioaccumulation is not expected.

p) Autoignition No data available temperature

q) Decomposition

No data available

temperature

Viscosity No data available r) No data available s) Explosive properties

Oxidizing properties none

#### 9.2 Other safety information

No data available

Sigma-Aldrich - C0732



## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

No data available

#### 10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - female - 560.3 mg/kg

(OECD Test Guideline 425)

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chloride

LC50 Inhalation - Rat - male and female - 4 h - 0.054 - 0.51 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chloride

Inhalation: Irritating to respiratory system.

LD50 Dermal - Rat - male and female - > 5,000 mg/kg

(OECD Test Guideline 402)

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chloride

## Skin corrosion/irritation

Skin - Rabbit Result: Irritations

(OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chloride

Sigma-Aldrich - C0732

Aillipore

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chloride

## Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chloride

### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chlorideTest Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chlorideTest Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Remarks: The value is given in analogy to the following substances: N-Cetylpyridinium

chloride Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

#### **Specific target organ toxicity - single exposure**

May cause respiratory irritation. - Respiratory system

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

Sigma-Aldrich - C0732

#### 11.2 Additional Information

RTECS: UU5075000

Cough, Shortness of breath, Headache, Nausea, Vomiting

After absorption:

We have no description of any toxic symptoms.

Further data:

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0.16 mg/l

- 96 h

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances:

N-Cetylpyridinium chloride

Toxicity to daphnia and other aquatic

semi-static test EC50 - Daphnia magna (Water flea) - 0.0041 mg/l -

48 h

invertebrates (OECD Test Guideline 202)

Remarks: The value is given in analogy to the following substances:

N-Cetylpyridinium chloride

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (algae) - 0.0269

mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

N-Cetylpyridinium chloride

Toxicity to bacteria static test EC50 - activated sludge - 20.7 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: The value is given in analogy to the following substances:

N-Cetylpyridinium chloride

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 0 % - Not biodegradable (OECD Test Guideline 301D)

Remarks: The value is given in analogy to the following substances:

N-Cetylpyridinium chloride

Sigma-Aldrich - C0732 Page 8 of 10



## 12.3 Bioaccumulative potential

(External MSDS)

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

## **SECTION 14: Transport information**

DOT (US)

UN number: 2811 Class: 6.1 Packing group: II

Proper shipping name: Toxic solids, organic, n.o.s. (Cetylpyridinium chloride monohydrate)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2811 Class: 6.1 Packing group: II EMS-No: F-

A, S-A

Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (Cetylpyridinium chloride

monohydrate)

Marine pollutant : yes

**IATA** 

UN number: 2811 Class: 6.1 Packing group: II

Proper shipping name: Toxic solid, organic, n.o.s. (Cetylpyridinium chloride monohydrate)

#### **SECTION 15: Regulatory information**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

Sigma-Aldrich - C0732

Page 9 of 10



## **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

Hazards

: Acute Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

### **US State Regulations**

## **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 08/06/2024 Print Date: 08/07/2024

