

# TCI AMERICA SAFETY DATA SHEET

Revision number: 1 **Revision date: 07/06/2018** 

1. IDENTIFICATION

Product name: 4-Methyl-2-pentanone

Product code: M0389

For laboratory research purposes. Product use: Restrictions on use: Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.)

+1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

## 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Inhalation [Category 4] Eye Damage/Irritation [Category 2A] WHMIS 2015:

Carcinogenicity [Category 2]

Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Flammable Liquids [Category 2]

Signal word: Danger!

Hazard Statement(s): Highly flammable liquid and vapor

Harmful if inhaled

Causes serious eye irritation Suspected of causing cancer

May cause respiratory irritation. May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure: Nervous System

# Pictogram(s) or Symbol(s):







#### Precautionary Statement(s): [Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.

[Response]

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If exposed or concerned: Get medical advice or attention. In case of fire: Use dry chemical, dry sand or foam to extinguish.

[Storage]

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

[Disposal]

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified: [HNOC]

May be harmful if swallowed.

**TCI AMERICA** Page 2 of 5 4-Methyl-2-pentanone

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Substance

4-Methyl-2-pentanone Components:

Percent: >99.5%(GC) CAS RN: 108-10-1 Molecular Weight: 100.16 **Chemical Formula:** C6H12O

Synonyms: Isobutyl Methyl Ketone, Isopropylacetone, Methyl Isobutyl Ketone, MIBK

## 4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

advice/attention.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Get medical advice/attention.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get

medical advice/attention.

Ingestion: Get medical advice/attention.Rinse mouth.

Symptoms/effects:

Dizziness, Redness, Drowsiness, Acute: Delayed: May have effects on the respiratory tract.

#### Indication of any immediate medical attention:

Not available. Notes to physician: No data available

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, carbon dioxide. Water (It may scatter and spread fire.) Unsuitable extinguishing media:

Hazardous combustion products:

These products include: Carbon oxides

Other specific hazards: Closed containers may explode from heat of a fire.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be

**Environmental precautions:** 

Methods and materials for containment

and cleaning up:

controlled around the leakage area by roping off, etc. Prevent product from entering drains.

Absorb spilled material in dry sand or inert absorbent before recovering it into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be

promptly disposed of, in accordance with appropriate laws and regulations.

Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use

spark-proof tools and explosion-proof equipment.

## 7. HANDLING AND STORAGE

Precautions for safe handling: Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent

generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid all contact!

Confirm in advance if peroxides exist when operations involving heating such as distillation are carried out.

Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed. Store in a cool, dark and well-ventilated place.

Store locked up.

Store away from incompatible materials such as oxidizing agents.

Packaging material: Comply with laws. 4-Methyl-2-pentanone **TCI AMERICA** Page 3 of 5

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limits:** 

ACGIH TLV(TWA): 50 ppm 75 ppm ACGIH TLV(STEL): 100 ppm OSHA PEL(TWA): JSOH OELs(TWA): 50 ppm (skin)

Appropriate engineering controls: Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Respiratory protection:

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Eye protection: Safety goggles. A face-shield, if the situation requires.

Impervious protective clothing. Protective boots, if the situation requires. Skin and body protection:

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Clear Form:

Colour: Colorless - Almost colorless

Odour: Aromatic

No data available Odor threshold: **Odour threshold:** No data available

-85°C (-121°F) No data available Melting point/freezing point: pH: Boiling point/range: 116°C (241°F) Vapour pressure: No data available.

**Decomposition temperature:** No data available Vapour density: 3.45

Relative density: 0.80 **Dynamic Viscosity:** No data available No data available

Kinematic viscosity: No data available Log Pow: Evaporation rate(Butyl No data available

Acetate=1):

Flash point: 17°C (63°F) Autoignition temperature:

460°C (860°F)

Flammability(solid, gas): No data available Flammability or explosive limits:

Lower: 1.4% Upper: 7.5%

Solubility(ies):

Slightly soluble (1.9g/100mL, 20°C) [Water]

[Other solvents]

Miscible: Many organic solvents

### 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: May form explosive peroxides.

Possibility of hazardous reactions: No special reactivity has been reported. Conditions to avoid: Spark, Open flame, Static discharge, Air

Oxidizing agents, Strong bases, Reducing agents, Organic peroxides Incompatible materials:

Hazardous decomposition products: Carbon dioxide, Carbon monoxide 4-Methyl-2-pentanone TCI AMERICA Page 4 of 5

## 11. TOXICOLOGICAL INFORMATION

RTECS Number: SA9275000

**Acute Toxicity:** 

orl-rat LD50:2080 mg/kg skn-rbt LD:>3 g/kg ihl-rat LC50:100 g/m³ ipr-rat LD50:400 mg/kg

Skin corrosion/irritation: skn-rbt 500 mg/24H MLD

Serious eye damage/irritation:

eye-rbt 100 uL/24H MOD eye-rbt 40 mg SEV

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

No data available

Carcinogenicity: No data available

IARC: Group 2B (Possibly carcinogenic NTP: No data available OSHA: No data available

to humans) .

Reproductive toxicity:

ihl-rat TCLo:300 ppm/6H (6-15D preg)

Target organ(s):

May cause respiratory irritation.

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure: Nervous System

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** 

Fish: No data available
Crustacea: No data available
Algae: No data available

Persistence / degradability: 84.0 % (by BOD), 97.1 % (by TOC), 100 % (by GC)

Bioaccumulative potential(BCF):

Mobility in soil

Log Pow: 1.38
Soil adsorption (Koc): 123
Henry's Law (PaM³/mol): 14

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers.

**Disposal of container:**Dispose of as unused product. Do not re-use empty containers. **Other considerations:**Observe all federal, state and local regulations when disposing of the substance.

4-Methyl-2-pentanone TCI AMERICA Page 5 of 5

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1245 Methyl isobutyl ketone 3 Flammable liquid

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1245 Methyl isobutyl ketone 3 Flammable liquid

**IMDG** 

er:

UN UN1245 Proper Shipping Name: Class or Division: Packing Group:

numb Methyl isobutyl ketone 3 Flammable liquid II

EmS number: F-E, S-D

Reportable Quantitiy: 5000 Pounds (2270 Kilograms)

### 15. REGULATORY INFORMATION

#### Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

#### **US Federal Regulations**

**CERCLA Hazardous substance and Reportable Quantity:** 

SARA 313: Listed SARA 302: Not Listed

**State Regulations** 

State Right-to-Know

MassachusettsListedNew JerseyListedPennsylvaniaListedCalifornia Proposition 65:Listed

Other Information

NFPA Rating:HMIS Classification:Health:2Health:3Flammability:3Flammability:3Instability:0Physical:0

**International Inventories** 

 Canada: DSL
 On DSL

 EC-No:
 203-550-1

## 16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.