

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 06/11/2009

Reviewed on 06/11/2009

**1 Identification of substance:****Product details:****Product name:** Bismuth nitrate**Stock number:** A11748**Manufacturer/Supplier:**


Alfa Aesar, A Johnson Matthey Company  
 Johnson Matthey Catalog Company, Inc.  
 30 Bond Street  
 Ward Hill, MA 01835-8099  
 Emergency Phone: (978) 521-6300  
 CHEMTREC: (800) 424-9300  
 Web Site: www.alfa.com

**Information Department:** Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

**2 Composition/Data on components:****Chemical characterization:****Description: (CAS#)**

Bismuth nitrate, pentahydrate (CAS# 10035-06-0), 100%

**Identification number(s):****EINECS Number:** 233-791-8**3 Hazards identification****Hazard description:**

Xi Irritant  
 O Oxidizing

**Information pertaining to particular dangers for man and environment**

R 8 Contact with combustible material may cause fire.

R 36/37/38 Irritating to eyes, respiratory system and skin.

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2
FIRE	0
REACTIVITY	1

Health (acute effects) = 2

Flammability = 0

Reactivity = 1

**GHS label elements****Danger**

2.14/2 - May intensify fire; oxidizer.

**Warning**

3.2/2 - Causes skin irritation.

3.3/2A - Causes serious eye irritation.

3.8/3 - May cause respiratory irritation.

**Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

(Contd. on page 2)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 06/11/2009

Reviewed on 06/11/2009

**Product name: Bismuth nitrate**

(Contd. of page 1)

Specific treatment (see label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.**Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**4 First aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek immediate medical advice.**5 Fire fighting measures****Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

**Special hazards caused by the material, its products of combustion or resulting gases:**

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

In case of fire, the following can be released:

Nitrogen oxides (NO<sub>x</sub>)

Metal oxide

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

**6 Accidental release measures****Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Measures for environmental protection:**

Do not allow material to be released to the environment without proper governmental permits.

**Measures for cleaning/collecting:** Ensure adequate ventilation.**Additional information:**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage****Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:**

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

**Storage****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:**

Store away from flammable substances.

Store away from reducing agents.

Do not store together with acids.

**Further information about storage conditions:**

This product is hygroscopic.

Protect from humidity and water.

(Contd. on page 3)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 06/11/2009

Reviewed on 06/11/2009

**Product name:** Bismuth nitrate

(Contd. of page 2)

Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.

**8 Exposure controls and personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Components with limit values that require monitoring at the workplace:** Not required.

**Additional information:** No data

**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

**Protection of hands:** Impervious gloves

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing.

**9 Physical and chemical properties:****General Information**

<b>Form:</b>	Crystalline
<b>Color:</b>	Colorless
	White
<b>Odor:</b>	Not determined

**Change in condition**

<b>Melting point/Melting range:</b>	75-80°C (167-176°F) ((dec))
<b>Boiling point/Boiling range:</b>	Not determined
<b>Sublimation temperature / start:</b>	Not determined

<b>Flash point:</b>	Not applicable
---------------------	----------------

<b>Flammability (solid, gaseous)</b>	Contact with combustible material may cause fire.
--------------------------------------	---

<b>Ignition temperature:</b>	Not determined
------------------------------	----------------

<b>Decomposition temperature:</b>	Not determined
-----------------------------------	----------------

**Explosion limits:**

<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined

<b>Vapor pressure:</b>	Not determined
------------------------	----------------

<b>Density at 20°C (68°F):</b>	2.83 g/cm³
--------------------------------	------------

**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

**Materials to be avoided:**

Reducing agents, easily oxidized materials

Acids

Metal powders

Water/moisture

**Dangerous reactions**

Reacts with reducing agents

Reacts with flammable substances

**Dangerous products of decomposition:**

Nitrogen oxides

Metal oxide fume

**11 Toxicological information****Acute toxicity:****Primary irritant effect:**

**on the skin:** Irritant to skin and mucous membranes.

(Contd. on page 4)

- USA -

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 06/11/2009

Reviewed on 06/11/2009

**Product name: Bismuth nitrate**

(Contd. of page 3)

**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Subacute to chronic toxicity:**

Bismuth and bismuth compounds are often poorly absorbed. Should absorption occur, however, exposure may cause loss of appetite, headache, skin rash, exodermatitis, kidney injury and jaundice. Repeated or prolonged exposure may cause a bismuth line or black spots on the gums, foul breath and salivation.

Small doses of nitrates may cause weakness, general depression, headache and mental impairment. Larger doses may cause dizziness, abdominal cramps, vomiting, bloody diarrhea, convulsions and collapse.

**Additional toxicological information:**

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**12 Ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

**13 Disposal considerations****Product:**

**Recommendation** Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information****DOT regulations:**

**Hazard class:** 5.1

**Identification number:** UN1477

**Packing group:** II

**Proper shipping name (technical name):** NITRATES, INORGANIC, N.O.S. (bismuth nitrate)

**Label:** 5.1

**Land transport ADR/RID (cross-border)**

**ADR/RID class:** 5.1 (O2) Oxidizing substances

**Danger code (Kemler):** 50

**UN-Number:** 1477

**Packaging group:** II

**Description of goods:** 1477 NITRATES, INORGANIC, N.O.S. (bismuth nitrate)

**Maritime transport IMDG:**

**IMDG Class:** 5.1

**UN Number:** 1477

**Label:** 5.1

**Packaging group:** II

**EMS Number:** F-A, S-Q

(Contd. on page 5)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 06/11/2009

Reviewed on 06/11/2009

**Product name: Bismuth nitrate**

(Contd. of page 4)

**Proper shipping name:** NITRATES, INORGANIC, N.O.S.**Air transport ICAO-TI and IATA-DGR:**

**ICAO/IATA Class:** 5.1  
**UN/ID Number:** 1477  
**Label:** 5.1  
**Packaging group:** II  
**Proper shipping name:** NITRATES, INORGANIC, N.O.S.

**UN "Model Regulation":** UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II**15 Regulations****Product related hazard informations:****Hazard symbols:**

Xi Irritant  
 O Oxidizing

**Risk phrases:**

8 Contact with combustible material may cause fire.  
 36/37/38 Irritating to eyes, respiratory system and skin.

**Safety phrases:**

17 Keep away from combustible material.  
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 37 Wear suitable gloves.  
 60 This material and its container must be disposed of as hazardous waste.

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
 All components of this product are listed on the Canadian Domestic Substances List (DSL).

**Information about limitation of use:** For use only by technically qualified individuals.**16 Other information:**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing MSDS:** Health, Safety and Environmental Department.**Contact:** Zachariah Holt**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organization  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 HMIS: Hazardous Materials Identification System (USA)

USA