

SAFETY DATA SHEET

Issuing Date 25-Nov-2015

Revision Date 25-Nov-2015

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Number

856

Product Name

Vanadium

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Laboratory use only

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier

ERA a Waters Company

Supplier Address

16341 Table Mountain Parkway, Golden, CO 80403 USA

Non-Emergency Telephone Number +1-303-431-8454 Supplier Email

sdsinfo@waters.com

Emergency telephone number

Company Emergency Phone

In case of EMERGENCY call CHEMTREC Day or Night

Number

Within USA and Canada: 800-424-9300 International Call Collect: +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Clear, colorless

Physical state Liquid

Odor Odorless

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see supplemental first aid instructions on this label)

Revision Date 25-Nov-2015

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skir

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Rinse mouth, DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Note: only the components contributing to the product's GHS hazard classification are listed in this section.

Nitric Acid 7697-37-2 1	Chemical name	CAS No	Weight-%
	Nitric Acid	/697-37-2	1

4. FIRST AID MEASURES

First aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Seek immediate medical attention/advice.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Seek immediate medical attention/advice.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

(trained personnel should) give oxygen. Avoid direct contact with skin. Use barrier to give

mouth-to-mouth resuscitation.

Ingestion Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give

anything by mouth to an unconscious person. Call a physician or poison control center

immediately.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Burning sensation.

Effects

Indication of any immediate medical attention and special treatment needed

856 - Vanadium Revision Date 25-Nov-2015

Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

ing partie.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO2 (except for Cyanides), dry chemical, dry sand, alcohol-resistant foam. Water spray, fog or alcohol-resistant foam. Move containers from fire area if you can do it without risk. Use water spray or fog; do not use straight streams. Dike fire control water for later disposal; do not scatter the material.

Unsuitable Extinguishing Media

Note: Most foams will react with the material and release corrosive/toxic gases.

Specific hazards arising from the chemical

Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Substance will react with water (some violently), releasing corrosive and/or toxic gases. Reaction with water may generate much heat which will increase the concentration of fumes in the air. Containers may explode when heated or if contaminated with water.

Uniform Fire Code

Corrosive: Other--Liquid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if

vou can do it without risk.

Other Information

Do not get water inside containers.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Use water spray to

reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled

material.

Methods and material for containment and cleaning up

Methods for containment A vapor suppressing foam may be used to reduce vapors. Cover with DRY earth, DRY

sand or other non-combustible material followed with plastic sheet to minimize spreading or

contact with rain.

Methods for cleaning up Use clean non-sparking tools to collect material and place it into loosely covered plastic

containers for later disposal. Soak up with inert absorbent material. Pick up and transfer to

properly labeled containers.

Revision Date 25-Nov-2015 856 - Vanadium

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Handling

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory

equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from Storage

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Incompatible Products Acids. Bases. Oxidizing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Hygiene Measures

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nitric Acid	STEL: 4 ppm	TWA: 2 ppm	IDLH: 25 ppm
7697-37-2	TWA: 2 ppm	TWA: 5 mg/m ³	TWA: 2 ppm
		(vacated) TWA: 2 ppm	TWA: 5 mg/m ³
	1	(vacated) TWA: 5 mg/m ³	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m ³
		(vacated) STEL: 10 mg/m ³	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health

Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Showers **Engineering Measures**

> **Evewash stations** Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield.

Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant Skin and body protection

apron. Impervious gloves.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all

contaminated protective equipment before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Liquid

Appearance Clear, colorless Odor Odorless

Color No information available **Odor Threshold** No information available

Property <u>Values</u> Remarks Method pН None known

Melting / freezing point no data available None known

856 - Vanadium

Boiling point / boiling range no data available None known **Flash Point** no data available None known **Evaporation Rate** no data available None known no data available Flammability (solid, gas) None known Flammability Limit in Air None known Upper flammability limit no data available Lower flammability limit no data available no data available Vapor pressure None known no data available Vapor density None known **Specific Gravity** None known **Water Solubility** Soluble in water None known no data available Solubility in other solvents None known Partition coefficient: n-octanol/waterno data available None known Autoignition temperature no data available None known no data available None known **Decomposition temperature**

Kinematic viscosity no data available
Dynamic viscosity no data available
Explosive properties no data available
Oxidizing properties no data available

Other Information

Softening Point no data available
VOC Content (%) no data available
Particle Size no data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

no data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Acids. Bases. Oxidizing agent.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

None known

None known

Pulmonary edema can be fatal. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid	-	-	= 130 mg/m ³ (Rat) 4 h = 67 ppm (
7697-37-2			Rat)4h

Information on toxicological effects

Symptoms

Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Carcinogenicity	The lable be	iow indicates whether each	ragency has useed any ing	redient as a cardinogen.
Chemical name	ACGIH	IARC	NTP	OSHA
Nitric Acid		Group 1		X
7697-37-2		Group 2A	i	i i

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity STOT - single exposure STOT - repeated exposure No information available. No information available.

No information available.

Chronic toxicity

No known effect based on information supplied. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may

also be seen. Contains a known or suspected carcinogen.

Target Organ Effects Aspiration Hazard

Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Teeth.

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Nitric Acid 7697-37-2		96h LC50: = 72 mg/L (Gambusia affinis)	.mereor garneme	1100/

Persistence and Degradability

No information available.

Bioaccumulation

Chemical name	Log Pow
Nitric Acid	-2.3
7697-37-2	

Other adverse effects

No information available.

Revision Date 25-Nov-2015

- 1 F. T.

was

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D002 P120

California Hazardous Waste Codes 791

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Nitric Acid	Toxic
7697-37-2	Corrosive
	Ignitable

14. TRANSPORT INFORMATION

DOT

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Subsidiary class 5.1
Packing Group II

Description UN2031, NITRIC ACID, 8 (5.1), II

Emergency Response Guide 157

Number

TDG

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II

Description UN2031, NITRIC ACID, 8, II, MARINE POLLUTANT

MEX

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Subsidiary class 5.1
Packing Group II

Description UN2031, NITRIC ACID, 8 (5.1), II

<u>ICAO</u>

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group !!

Description UN2031, NITRIC ACID, 8, II

<u>IATA</u>

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II
Special Provisions None

Description UN2031, NITRIC ACID, 8, II

IMDG/IMO

856 - Vanadium Revision Date 25-Nov-2015

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Subsidiary class 5.1
Packing Group II
EmS-No. F-A, S-Q
Special Provisions None

Marine Pollutant Not applicable

Description UN2031, NITRIC ACID, 8 (5.1), II, MARINE POLLUTANT

RID

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II
Classification code CO1
Special Provisions None

Description UN2031, NITRIC ACID, 8 (5.1), II

ADR/RID-Labels 5.1

ADR

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II
Classification code CO1
Tunnel restriction code (E)
Special Provisions None

Description UN2031, NITRIC ACID, 8 (5.1), II

ADR/RID-Labels 8 5.1

<u>ADN</u>

UN-No. UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Packing Group II
Classification code CO1

Description UN2031, NITRIC ACID, 8 (5.1), II

Hazard Labels 8 + 5.1 Limited Quantity 1 L

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

ENCS Contact supplier for inventory compliance status

FICCS

KECL

PICCS

Contact supplier for inventory compliance status

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

Revision Date 25-Nov-2015

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Nitric Acid - 7697-37-2	7697-37-2	1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric Acid	1000 lb			X
7697-37-2		į		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Nitric Acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Nitric Acid		Mexico: TWA 2 ppm
7697-37-2 (1)		Mexico: TWA 5 mg/m ³
i '		Mexico: STEL 4 ppm
		Mexico: STEL 10 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

The second secon	16. OTHER INFORMA	TION
The factor of the second of th	IO O HIE ENINE ONINA	

NFPA

Health Hazards 3

Flammability 0

Instability 0

Physical and Chemical Hazards -

HMIS

Health Hazards 3

Flammability 0

Physical Hazard 0

Personal Protection

Χ

Prepared By

Product Stewardship
23 British American Blvd.

Latham, NY 12110

1-800-572-6501 25-Nov-2015

Issuing Date Revision Date

25-Nov-2015 25-Nov-2015 856 - Vanadium Revision Date 25-Nov-2015

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved

End of Safety Data Sheet