

# **SECTION 1: Identification**

## 1.1. Product Identifier

Trade Name or Designation: Ethyl Acetate, Purified

Product Number: 2-19950

Other Identifying Product Numbers: 2-19950-1, 2-19950-3, 2-19950-5, 2-19950-9

### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

## 1.3. Details of the Supplier of the Safety Data Sheet

Company: Reagents Inc.

Address: 4746 Sweden Road

Charlotte, NC 28224 USA

Telephone: 800-732-8484

## 1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887


## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

	Hazard			
Hazard Class	Category	Statement	Precautionary Statements	
Eye Damage / Irritation	Category 2A	H319	P264, P280, P305+P351+P338, P337+P313	
Specific Target Organs/Systemic Toxicity Following Single	Category 1	H370	P260, P264, P270, P307+P311, P321, P405, P501	
Exposure				
Specific Target Organs/Systemic Toxicity Following Repeated	Category 2	H373	P260, P314, P501	
Exposure				
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280,	
			P303+P361+P353, P370+P378, P403+P235, P501	









# Signal Word: Danger

## Hazard Statements:

Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.

## **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P210	Keep away from heat, sparks and open flame. No smoking.
P233	Keep container tightly closed.
P240	Ground container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust, fumes or mist.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves and eye protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P307+P311	IF exposed: Call a POISON CENTER or physician.
P314	Get medical attention if you feel unwell.
P321	Specific treatment (Refer to SDS).
P337+P313	If eye irritation persists: Get medical attention.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.



## 2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

#### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

### SECTION 3: Composition / Information on Ingredients

#### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Ethyl Acetate	$C_4H_8O_2$	88.10 g/mol	141-78-6	100.00%

## **SECTION 4: First-Aid Measures**

### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

- Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking which can lead to secondary infections and dermatitis.
  - Ingestion: Aspiration hazard. Do not induce vomiting, vomiting may occur spontaneously. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Call a physician.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

DANGER! Flammable. Keep away from heat, sparks, and flames. container closed. with adequate ventilation. open Keep Use Avoid prolonged breathing of vapor or contact with skin. Harmful if swallowed. Do not pipet by mouth. If ingested, wash out mouth provided person is conscious. Call a physician. Wash areas with water. For medical EYE CONTACT: of contact plenty of get attention. May cause irritation with burning stinging eves, and CONTACT: with possible damage to the cornea and conjunctiva. SKIN Results in drying and cracking which can lead to secondary infections and dermatitis.

## 4.3. Medical Attention or Special Treatment Needed

Specific treatment (Refer to SDS).

## **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing Media

Carbon dioxide, dry chemical, alcohol foam Water may be ineffective because of the low flash point of ethyl acetate.



#### 5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Extremely flammable liquid and vapor. Contact with strong oxidizers may cause fire. Vapor may cause flash fire. Sensitive to static discharge. Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire. Explosion hazard when exposed to heat, flame or oxidizers.

#### 5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

## **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

#### 6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

#### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eves and skin. Protect from freezina and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers mav be hazardous since thev retain product residues

## **SECTION 8: Exposure Controls / Personal Protection**

### 8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Ethyl Acetate (141-78-6)	TWA	USA	400 ppm TWA	U.S OSHA - Final PELs - Time Weighted
			1400 mg/m <sup>³</sup> TWA	Averages (TWAs)
Ethyl Acetate (141-78-6)	TLV-TWA	USA	400 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

#### 8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep emplovee exposures below the Airborne Exposure Limit.

Respiratory Protection: If the TLV is exceeded, a half-mask organic vapor respirator may be worn for up to 10 times the exposure limit or use concentration specified the maximum the appropriate regulatory by agency or respirator supplier. whichever is lowest. A full facepiece organic vapor respirator may be worn for up to 50 times the exposure limit or the maximum use concentration specified by the respirator supplier, whichever is lowest.



Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves, Neoprene or PVC.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. If the TLV is exceeded, a half-mask organic vapor respirator may be worn for up to 10 times the exposure limit or the maximum use concentration specified the appropriate regulatory agency or respirator facepiece by supplier, whichever is lowest. А full organic vapor respirator may be worn for up to 50 times the exposure limit, or the maximum use concentration specified by the respirator supplier, whichever is lowest. Chemical resistant gloves, Neoprene or PVC. Safety glasses or goggles.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Basic Physical and Chemical Properties

Appearance:	Colorless liquid
Physical State:	Liquid
Odor:	Fruity
Odor Threshold:	Data not available.
pH:	Data not available.
Melting/Freezing Point:	-83.6°C
Initial Boiling Point /Range:	77°C - 77°C
Flash Point:	-4°C
Evaporation Rate:	6.2 (butyl acetate = 1)
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Vapor Pressure:	91.84 hPa at 18.7°C
Vapor Density:	3.04
Relative Density:	0.89
Solubility:	83.1 G/L at 20°C
Partition Coefficient (n-Octanol/Water):	0.6
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
Viscosity:	Data not available.
ExplosiveProperties:	Data not available.
<b>Oxidizing Properties:</b>	Data not available.

## **SECTION 10: Stability and Reactivity**

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.



### **10.2. Possibility of Hazardous Reactions**

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Strong oxidizers, strong alkalis, strong acids, nitrates, heat,

#### **10.4. Hazardous Decomposition Products**

Will not occur.

## **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Not applicable.

#### Acute Toxicity - Dermal Exposure:

Not applicable.

#### Acute Toxicity - Inhalation Exposure:

Not applicable.

#### Acute Toxicity - Other Information:

LD50, Oral, Rat: (Ethyl Acetate) 5620 mg/kg, details of toxic effects not reported other than lethal dose value.

#### Skin Corrosion and Irritation:

Not applicable.

#### Serious Eye Damage and Irritation:

EYES: Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and protection. IF IN eve Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

## Germ Cell Mutagenicity:

Not applicable.

## Carcinogenicity:

Not applicable.

#### **Reproductive Toxicity:**

Not applicable.



#### Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Refer to SDS). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Specific Target Organ Toxicity from Repeated Exposure:

May cause damage to organs through prolonged or repeated exposure. Do not breathe dust, fumes or mist. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

#### Aspiration Hazard:

Not applicable.

#### Additional Toxicology Information:

Data not available.

## **SECTION 12: Ecological Information**

## 12.1. Ecotoxicity

Not applicable.

### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

## 12.5. Other Adverse Ecological Effects

Data not available.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.



# **SECTION 14: Transportation Information**

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

UN Number:	UN1173
Proper Shipping Name:	Ethyl Acetate
Hazard Class:	3
Packing Group:	Ш
Hazard Placard Labels:	FLAMMABLE 3

## 14.2. Transportation by Air - International Air Transport Association (IATA)

UN Number:	UN1173
Proper Shipping Name:	Ethyl Acetate
Hazard Class:	3
Packing Group:	II
Hazard Placard Labels:	
	FLAMMABLE
	3

## **SECTION 15: Regulatory Information**

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

- 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances Not listed.
- 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Ethyl Acetate (CAS # 141-78-6): 5000 lb final RQ; 2270 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI) Not listed.

## 15.5. Massachusetts Right-to-Know Substance List

Ethyl Acetate (CAS # 141-78-6): Present



## 15.6. Pennsylvania Right-to-Know Hazardous Substances

Ethyl Acetate (CAS # 141-78-6): Environmental hazard Ethyl Acetate (CAS # 141-78-6): Present

#### 15.7. New Jersey Worker and Community Right-to-Know Components

Ethyl Acetate (CAS # 141-78-6): flammable - third degree Ethyl Acetate (CAS # 141-78-6): sn 0841

#### 15.8. California Proposition 65

Not listed.

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ethyl Acetate (CAS # 141-78-6): Present

## 15.10. United States of America Toxic Substances Control Act (TSCA) List

Ethyl Acetate (CAS # 141-78-6): Present

#### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

#### European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

## **SECTION 16: Other Information**

## 16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable irritation. Causes damage liauid and vapor. Causes serious eve to organs. Mav cause damage to organs through prolonaed or repeated exposure.

Keep away from heat. sparks flame. No smokina. Keep container tiahtly closed. Ground container Use and open and receivina equipment. discharge. explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static Do breathe not dust. fumes or mist Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and eye protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment (Refer to SDS). If eye irritation persists: Get medical attention. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.




## 16.2. Miscellaneous Hazard Classes

Not Applicable.
Not Applicable.
Not Applicable.
Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating





#### 16.4. Document Revision

Last Revision Date: 8/31/2015

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and REAGENTS, INC. assumes no legal responsibility or liability whatsoever resulting from its use.