

Section 1 Chemical Product and Company Identification

Page E1 of E2



5100 West Henrietta Rd
PO Box 92912
Rochester, NY 14692-9012
Tel: (800) 962-2660

Boreal Science
399 Vansickle Road
St. Catharines, Ontario
L2S 3T4 Canada
Tel: (800) 387-9393

CHEMTREC 24 Hour Emergency USA
Phone Number (800) 424-9300
For laboratory and industrial use only.
Not for drug, food or household use.

Product SALICYLIC ACID**Synonyms** 2-Hydroxybenzoic acid

Section 2 Hazards Identification

Signal word: WARNING**Pictograms:** GHS07**Target organs:** Central nervous system, Kidneys, Pancreas**GHS Classification:**

Acute toxicity, oral (Category 4)

Eye irritation (Category 2B)

STOT SE (Category 3)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary statement:

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / Information on Ingredients

| Chemical Name | CAS # | % | EINECS |
|----------------|---------|------|-----------|
| Salicylic acid | 69-72-7 | 100% | 200-712-3 |

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dusts may form flammable and explosive mixtures in air.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Light sensitive. Protect from light and moisture.

Section 8 Exposure Controls / Personal Protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|----------------|-------------|------------|-------------|
| | Salicylic acid | Not listed | Not listed | Not listed |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

| | | |
|--|---|--|
| Appearance: Solid. White, crystalline powder. | Evaporation rate (Butyl acetate = 1): <1 | Partition coefficient: Data not available |
| Odor: No odor. | Flammability (solid/gas): Data not available. | Auto-ignition temperature: 540°C (1004°F) |
| Odor threshold: Data not available. | Explosion limits: Lower: Ca. 1.1% @ 20°C Upper: N/A | Decomposition temperature: 540°C (1004°F) |
| pH: 2.4 | Vapor pressure (mm Hg): 1 mm @ 114°C | Viscosity: Data not available. |
| Melting / Freezing point: 158-160°C (316-320°F) | Vapor density (Air = 1): 4.8 | Molecular formula: C ₇ H ₆ O ₃ |
| Boiling point: 211°C (412°F) | Relative density (Specific gravity): 1.443 (20°/4°) | Molecular weight: 138.12 |
| Flash point: 157°C (315°F) | Solubility(ies): Slightly soluble in water. | |

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures and heat. Light and moisture sensitive.

Incompatible materials: Strong oxidizers, iron salts, spirit nitrous ether, lead acetate and iodine.

Hazardous decomposition products: Oxides of carbon and phenol.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

Skin corrosion/irritation: Skin-rabbit - draize test 500 mg/24H - Mild irritant

Serious eye damage/irritation: Eyes-rabbit - draize test 100 mg - Severe

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation causes irritation of the mucous membrane and upper respiratory tract.

Ingestion: Ingestion causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause 'salicylism', characterized by headache, dizziness, ringing in the ears, hearing difficulty, visual disturbance, mental confusion, drowsiness, sweating, thirst, hyperventilation, nausea, vomiting and diarrhea. Severe salicylate intoxication may cause CNS disturbances such as convulsions and coma. skin eruptions, and alteration in the acid-base balance.

Skin: Contact causes irritation and possible burns, especially if the skin is wet or moist. May cause rash and eruptions.

Eyes: Contact causes severe irritation. May result in corneal injury.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VO0525000

Section 12 Ecological Information

Toxicity to fish: Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

Toxicity to algae: Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERCLA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|----------------|--------|-------------|------------|--------|------------|--|
| Salicylic acid | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.