Thermit

Section 1

Section 2

CAROLINA® www.carolina.com

Product Description

Product Name: Recommended Use: Synonyms: Distributor:

Thermit Science education applications Thermit Welding Powder Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150 800-227-1150 (8am-5pm (ET) M-F) 800-424-9300 (Transportation Spill Response 24 hours)

Chemical Information: Chemtrec:

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

WARNING



Flammable solid. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

GHS Classification:

Flammable Solid Category 2, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

Acute Toxicity Oral Contains Acute Toxicity Dermal Contains Acute Toxicity Inhalation Dust/Mist Contains 100 % of the mixture consists of ingredient(s) of unknown toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

Section 3

Composition / Information on Ingredients

Chemical Name	<u>CAS #</u>	<u>%</u>
Iron Oxide (CAS # 1309-37-1) 75%	N/A	75
Aluminum Metal Powder (CAS # 7429-90-5) 25%		25
Thermit Black 100%		

Section 4

First Aid Measures

Emergency and First	Aid Procedures
Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eyes:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
	Take off contaminated clothing and wash before reuse.
Ingestion:	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media: Fire Fighting Methods and Protection: Use dry chemical or cover with dry sand or lime.

Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.

Fire and/or Explosion Hazards:

Risk of explosion by shock, friction, fire or other sources of ignition. Keep away from sources of ignition - No smoking. Once on fire, materials provide their own oxidizer. Very difficult to extinguish flame. Only burn in a controlled environment. Metal Oxides,

Hazardous Combustion Products:

Section 6	Spill or Leak Procedures
Steps to Take in Case Material Is Released or Spilled:	Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Avoid the generation of dusts during clean-up. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Ventilate the contaminated area. Isolate area. Keep unnecessary personnel away.
Environmental Precautions:	Avoid runoff into storm sewers and ditches that lead to waterways. Do not flush spill to drain. Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Avoid creating dusts. Cover material with absorbent and moisten. Eliminate sources of ignition and collect for disposal.

Section 7 Handling and Storage

Handling:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting// equipment. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid excess heat. Keep away from sources of ignition - No smoking. Keep away from oxidizing materials and strong acids. Keep away from combustible material. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep container tightly closed in a cool, well-ventilated place.
Storage Code:	Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

	ACGIH		OSHA PEL		
Chemical Name	(TWA)	<u>(STEL)</u>	(TWA)	<u>(STEL)</u>	
Iron (III) Oxide, Red	5 mg/m3 TWA	N/A	10 mg/m3 TWA	N/A	
	(respirable fraction)		(fume); 15 mg/m3		
			TWA (total dust,		
			listed under		
			Rouge); 5 mg/m3		
			TWA (respirable		
			fraction, listed unde		
			Rouge)		
Aluminum, Powder	1 mg/m3 TWA	N/A	15 mg/m3 TWA	N/A	
	(respirable fraction)		(total dust); 5		
			mg/m3 TWA		
			(respirable fraction)		
Control Parameters					
Engineering Measures:	Local exhaust ventilation of	or other engineer	ing controls are normally req	uired when	
	handling or using this prod				
Personal Protective Equipment (PPE):	Lab coat, apron, eye wash				
Respiratory Protection:	No respiratory protection required under normal conditions of use.				
Respirator Type(s):	NIOSH approved air purifying respirator with dust/mist filter.				
Eye Protection:			ling this product. Have an eye	e wash station	
	available.		5 1 ,		
Skin Protection:	Avoid skin contact by wear	ring chemically r	esistant gloves, an apron and	d other protective	
	equipment depending upor	n conditions of u	se. Inspect gloves for chemic	cal break-through	
			ective equipment regularly.		
			ater before eating, drinking, a		
	work.			C C	
Gloves:	Natural latex,, Natural rubb	oer, Nitrile			

Section 9

Formula: Fe2O3 + AI (approx. 3:1) Molecular Weight: N/A Appearance: Red-brown Powder Odor: No data available Odor Threshold: No data available pH: No data available Melting Point: 1565 C No data available 660 C Boiling Point: 2467 C No data available 2467 C Flash Point: No data available Flammable Limits in Air: N/A

Section 10

Physical Data

Vapor Pressure: N/A Evaporation Rate (BuAc=1): N/A Vapor Density (Air=1): N/A Specific Gravity: >1 Solubility in Water: Practically Insoluble Log Pow (calculated): No data available Autoignition Temperature: No data available Decomposition Temperature: No data available Viscosity: No data available Percent Volatile by Volume: N/A

Reactivity Data

Reactivity: Chemical Stability: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products: Hazardous Polymerization:		No data available Stable under normal conditions. None known. Peroxides, Strong acids, Acids, Caustics (bases), Halogens, Strong oxidizing agents Metal Oxides, Will not occur				
Section 11		Toxicit	y Data			
Routes of Entry Symptoms (Acute): Delayed Effects:	,	and Eye contact. espiratory disorders				
Acute Toxicity: Chemical Name Aluminum, Powder		CAS Number	Oral LD50 Oral LD50 Rat > 2000 mg/kg	Dermal LD50	Inhalation LC50 Inhalation LC50 (4h) Rat > 888	

Carcinogenicity: Chemical Name CAS Number IARC NTP **OSHA** No data available Not listed Not listed Not listed **Chronic Effects:** Mutagenicity: No evidence of a mutagenic effect. **Teratogenicity:** No evidence of a teratogenic effect (birth defect). Sensitization: No evidence of a sensitization effect. **Reproductive:** No evidence of negative reproductive effects. **Target Organ Effects:** Acute: See Section 2 **Chronic:** Not listed as a carcinogen by IARC, NTP or OSHA.

Section 12

Ecological Data

Overview:	This material is not expected to be harmful to the ecology. Keep out of waterways.
Mobility:	No data
Persistence:	No data
Bioaccumulation:	No data
Degradability:	Biodegrades slowly. Rate of biodegradation depends upon the concentration of the pollutant, the residence time in the medium (soil or water), the nature of the soil, and whether resident microbial populations have or can acclimate to the pollutant.
Other Adverse Effects:	No data
Chemical Name N/A	CAS Number Eco Toxicity

Section 13

MG/L

Disposal Methods:

Waste Disposal Code(s):

Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance. Not Determined

Section 14

Transport Information

Additional Information

Ground - DOT Proper Shipping Name: N/A

Air - IATA Proper Shipping Name:

Not regulated for air transport by IATA.

Section 15 Regulatory Information

All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Aluminum, Powder		Aluminum	No	No	No	No

Section 16

Revised: 09/09/2015

TSCA Status:

Replaces: 09/03/2014

Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health