Permatex, Inc. 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex

(877) 376-2839

Emergency: 800-255-3924

Maint. Shop

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

Product Name:

PERMANENT STRENGTH THREADLOCKER RED 6ML

Item No:

Product Type:

Anaerobic

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Percent	ACGIH 8 Hr. TWA:	OSHA 8 Hr. TWA:	
METHACRYLATE MONOMER 25852-47-5	60-70	Not Listed	Not Listed	
POLYESTER RESIN 39382-25-7	20-30	Not Listed	Not Listed	
SACCHARIN 81-07-2	1-10	10mg/m³ nuisance dust	Not Listed	
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	1-10	Not Listed	Not Listed	

3. HAZARDS IDENTIFICATION

Toxicity:

May cause eye and skin irritation. At elevated temperatures may cause irritation of the respiratory tract. Irritates mucous membranes. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. High concentrations may cause central nervous system (CNS) depression. May cause

skin sensitization.

Primary Routes of Entry:

Eye and skin contact, ingestion, inhalation.

Signs and Symptoms of Exposure: Repeated skin contact may cause allergic skin reactions. Skin redness. Ingestion may cause nausea and vomiting. Inhalation overexposure may cause irritation, coughing and flu-like symptoms. May cause pain, redness or swelling of the eyes and excessive blinking and tear production.

Ingredients	Percent	NTP:	ACGIH Carcinogens	IARC:
SACCHARIN 81-07-2	1-10	Delisted April 2000		Group 3: Vol 73, Page 517: 1999

Medical Conditions Recognized as Preexisting skin disorders. Being Aggravated by Exposure:

4. FIRST AID MEASURES

Ingestion:

If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention.

Inhalation:

Move to fresh air in case of accidental inhalation of vapors. Oxygen or artificial respiration if needed.

Obtain medical attention.

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes If

skin irritation persists, call a physician

Eye Contact:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical

attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point (°F/C):

Recommended Extinguishing Media:

Special Fire-Fighting Procedures:

Hazardous Products Formed by Fire or Thermal

Decomposition:

Unusual Fire/Explosion Hazards:

More than 160 degrees C. Method: PMCC Water fog, carbon dioxide, foam, dry chemical.

Firefighters should wear self-contained breathing apparatus.

Irritating vapors.

Closed containers may rupture or explode when exposed to extreme

heat.

Lower Explosive Limit: Upper Explosive Limit:

Not determined Not determined

(

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until

disposal.

7. HANDLING AND STORAGE

Storage: Store below 100 degrees F.

Handling: Avoid prolonged skin contact. Keep away from eyes.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses.

Skin: Rubber or plastic gloves

Ventilation: General; local exhaust ventilation as necessary to control any air contaminants to within their exposure

limits during the use of this product.

Respiratory Protection: An approved respirator (i.e. NIOSH, etc.) should be worn when exposures are expected to exceed the

applicable limits..

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red liquid

Odor: MILD

Boiling Point (°F): More than 200 degrees C.

pH: Does not apply Solubility in Water: Insoluble

Specific Gravity: >1.0

VOC Content(Wt.%):
Vapor Pressure:
Vapor Density (Air=1):
Evaporation Rate:
Not determined
Not determined
Not determined

10. STABILITY AND REACTIVITY

Chemical Stability: Stable at normal conditions

Hazardous Polymerization: Will not occur Incompatabilities: Strong oxidizers.

Conditions to Avoid: Heat

Hazardous Products Formed by Fire or Thermal Irritating vapors.

Decomposition:

11. TOXICOLOGICAL INFORMATION

See Section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations.

US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

Domestic Ground Transport

DOT Shipping Name: Unrestricted Hazard Class: NONE UN/ID Number: None Marine Pollutant: None

IATA

Proper Shipping Name: not regulated
Class or Division: None
UN/NA Number: None

IMDG

<u>Product name:</u> PERMANENT STRENGTH THREADLOCKER RED 6ML

Proper Shipping:

Unrestricted

Hazard Class: UN Number: None None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

SARA 313 Information

DIMETHYLBENZYL HYDROPEROXIDE

CALIFORNIA PROP 65:

No California Prop 65 chemicals are known to be present.

TSCA Inventory Status:

Listed on Inventory: YES All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating: Estimated HMIS Classification: HEALTH 2, FLAMMABILITY 1, REACTIVITY 1

HEALTH 2, FLAMMABILITY 1, PHYSICAL HAZARD 0

NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By:

Denise Boyd, Health and Safety Manager

Revision Date: 12/09/2004

Company:

Permatex. Inc. 10 Columbus Blvd. Hartford, CT USA

Revision 2

Number:

06106

Telephone Number: 1-87-Permatex (877) 376-2839

		ž.,