

#### 1 Identification

Product identifier

Product name: Calcium oxide

Stock number: 10923 **CAS Number:** 1305-78-8 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Manufacturer/Supplier.
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.

#### Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS07

## Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P501 Dispose of contents/container in accordance with least free transfer to the contents of the conten

Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification

D2B - Toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3

Flammability = 0

Flammability = 0

Flammability = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 1305-78-8 Calcium oxide Identification number(s): EC number: 215-138-9

### Product name: Calcium oxide

(Contd. of page 1)

### 4 First-aid measures

Description of first aid measures After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediately wash with water and soap and hirse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Metal oxide fume

Metal oxide rume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

### 7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from air.
Store away from water/moisture.
Do not store together with acids.
Store away from oxidizing agents.
Store away from halogens.
Store away from alcohols.

Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.

This product is air sensitive.

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

### Control parameters

## Components with limit values that require monitoring at the workplace:

### 1305-78-8 Calcium oxide (100.0%)

PEL (USA) Long-term value: 5 mg/m<sup>3</sup> REL (USA) Long-term value: 2 mg/m³

TLV (USA) Long-term value: 2 mg/m3

EL (Canada) Long-term value: 2 mg/m³ EV (Canada) Long-term value: 2 mg/m³

Additional information: No data

Exposure controls

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

(Contd. on page 3)

Safety Data Sheet per OSHA HazCom 2012

Page 3/5 Printing date 11/23/2015 Reviewed on 08/19/2015

### Product name: Calcium oxide

(Contd. of page 2)

Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves
Impervious gloves prior to each use for their proper condition.
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Reservation time of glove material (in minutes) 480

Penetration time of glove material (in minutes) 480
Glove thickness 0.11 mm
Eye protection: Tightly sealed goggles
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Color: Powder White to grey Odor: Odorless Odor threshold: Not determined

pH-value:

Change in condition 2572 °C (4662 °F) 2850 °C (5162 °F) Not determined Not determined. Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto ignition Not determined Not determined

Auto igniting: Danger of explosion: Explosion limits:

Lower: Not determined Not determined Upper:

Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density 0 hPa 3.25-3.37 g/cm³ (27.121-28.123 lbs/gal) Not determined.

Not applicable.

Not determined

Not determined.

Vapor density Not applicable. Evaporation rate Solubility in / Miscibility with Not applicable.

Water: Reacts

Exothermic reaction with water

Partition coefficient (n-octanol/water): Not determined. Viscosity. dynamic: Not applicable.

kinematic: Not applicable.

Other information No further relevant information available.

# 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids

Water/moisture

Oxidizing agents Halogens

Hazardous decomposition products: Metal oxide fume

### 11 Toxicological information

Information on toxicological effects

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion:

Corrosive effect on skin and mucous membranes.

Causes skin irritation.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

## 12 Ecological information

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

(Contd. of page 3)

# Product name: Calcium oxide

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14	Trans	nort	infor	mation
17	Halls	PULL	111101	manon

**UN-Number** UN1910 DOT, IATA ADN, IMDG Not applicable

UN proper shipping name DOT, IATA ADN, IMDG Calcium oxide Not applicable

### Transport hazard class(es)

DOT



Class 8 Corrosive substances.

Label Class Not applicable

ADN/R Class: Not applicable IATA



Class 8 Corrosive substances. Label

Packing group DOT, IATA

**IMDG** Not applicable Environmental hazards: Not applicable.

Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation":

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage

H335 May cause respiratory irritation. Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity see: For use only by technically qualified individuals

Information about limitation of use: For use only by technically qualified individuals.

(Contd. on page 5)

Safety Data Sheet per OSHA HazCom 2012

Page 5/5 Printing date 11/23/2015 Reviewed on 08/19/2015

### Product name: Calcium oxide

(Contd. of page 4)

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / -

Date of preparation / last revision 11/23/2015'/ Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

VPVB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

INTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)