

# **Safety Data Sheet**

Copyright, 2014, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 27-6190-6
 Version number:
 5.00

 Revision date:
 10/12/2014
 Supersedes date:
 15/09/2014

Transportation version number: 1.00 (22/08/2011)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

A33, Quik Detailer (19-187B): A3316, A3332

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

### 1.4. Emergency telephone number

+44 (0)870 241 6696

#### **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

#### **CLASSIFICATION:**

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

#### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

This product is not classified as hazardous according to EU Directive 1999/45/EC.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

Decay 1 of

#### SUPPLEMENTAL INFORMATION

#### **Supplemental Hazard Statements:**

EUH208

Contains Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

#### Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredients required per 648/2004 (not required for industrial label): Contains: Perfumes, Mixture of methylchloroisothiazolinone and methylisothiazolinone (3:1).

#### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Not applicable

#### Notes on labelling

Updated per Regulation (EC) 648/2004 on detergents.

Ingredients required per 648/2004 (not required for industrial label): Contains: Perfumes, Mixture of methylchloroisothiazolinone and methylisothiazolinone (3:1).

#### 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Non-Hazardous Ingredients	Mixture		90 - 98	
1-propoxypropan-2-ol	1569-01-3	EINECS 216- 372-4	0.5 - 1.5	Xi:R36; R10; R66; R67 (Self Classified)
				Flam. Liq. 3, H226; Eye Irrit. 2, H319; STOT SE 3, H336; EUH066 (Self Classified)
Propane-1,2-diol	57-55-6	EINECS 200- 338-0	0.5 - 1.5	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	55965-84-9		< 0.001	T:R23-24-25; C:R34; N:R50/53; R43 (EU)  Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens.
				1A, H317; Aquatic Acute 1, H400,M=10; Aquatic Chronic 1, H410,M=10 (CLP)

Please see section 16 for the full text of any R phrases and H statements referred to in this section Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# **Hazardous Decomposition or By-Products**

SubstanceConditionAldehydes.During combustion.Carbon monoxide.During combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

#### 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

Page: 3 of 12

#### 7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidising agents.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Propane-1,2-diol	57-55-6	UK HSC	TWA(as particulate):10	
			mg/m3;TWA(as total vapour	
			and particulates):474	
			mg/m3(150 ppm)	

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

#### Skin/hand protection

No chemical protective gloves are required.

#### **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Pages 4 of

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance/Odour Pleasant odour; Light milky blue, watery liquid

**Odour threshold** *No data available.* 

pH 7.5 - 8.5 Boiling point/boiling range 100 °C

Not applicable. **Melting point** Not applicable. Flammability (solid, gas) Not classified **Explosive properties** Not classified **Oxidising properties** No flash point Flash point **Autoignition temperature** Not applicable. Flammable Limits(LEL) Not applicable. Not applicable. Flammable Limits(UEL)

**Relative density** 1.0 [Ref Std:WATER=1]

Water solubility Complete

Solubility- non-water
Partition coefficient: n-octanol/water
No data available.
Evaporation rate
No data available.
Vapour density
No data available.
Decomposition temperature
No data available.
No data available.
Viscosity
No data available.

**Density** 1 g/cm<sup>3</sup>

9.2. Other information

Volatile organic compounds (VOC) 1.32 % weight

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

#### 10.6 Hazardous decomposition products

**Substance Condition** 

Page: 5 of 12

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

#### Eye contact

Sprayed material may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
1-propoxypropan-2-ol	Dermal	Rabbit	LD50 2,805 mg/kg
1-propoxypropan-2-ol	Inhalation-	Rat	LC50 > 11.8 mg/l
	Dust/Mist		
	(4 hours)		
1-propoxypropan-2-ol	Ingestion	Rat	LD50 2,500 mg/kg
Propane-1,2-diol	Dermal	Rabbit	LD50 20,800 mg/kg
Propane-1,2-diol	Ingestion	Rat	LD50 22,000 mg/kg
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Dermal	Rabbit	LD50 87 mg/kg
2H-isothiazol-3-one			
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Inhalation-	Rat	LC50 0.33 mg/l
2H-isothiazol-3-one	Dust/Mist		
	(4 hours)		
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Ingestion	Rat	LD50 40 mg/kg
2H-isothiazol-3-one			

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
1-propoxypropan-2-ol	Rabbit	Minimal irritation
Propane-1,2-diol	Rabbit	No significant irritation

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one		

**Serious Eye Damage/Irritation** 

Name	Species	Value
1-propoxypropan-2-ol	Rabbit	Severe irritant
Propane-1,2-diol	Rabbit	No significant irritation
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one		

#### **Skin Sensitisation**

Name	Species	Value
Propane-1,2-diol	Human	Some positive data exist, but the data are not
		sufficient for classification
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Sensitising
one	and	
	animal	

#### Photosensitisation

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Not sensitizing
one	and	
	animal	

**Respiratory Sensitisation** 

**Germ Cell Mutagenicity** 

Name	Route	Value
1-propoxypropan-2-ol	In Vitro	Not mutagenic
Propane-1,2-diol	In Vitro	Not mutagenic
Propane-1,2-diol	In vivo	Not mutagenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-		Not mutagenic
one		
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	In Vitro	Some positive data exist, but the data are not
one		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Propane-1,2-diol	Dermal	Mouse	Not carcinogenic
Propane-1,2-diol	Ingestion	Multiple	Not carcinogenic
		animal	
		species	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Dermal	Mouse	Not carcinogenic
2H-isothiazol-3-one			
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Ingestion	Rat	Not carcinogenic
2H-isothiazol-3-one			

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
1-propoxypropan-2-ol	Inhalation	Some positive developmental data exist, but the data are not sufficient for classification	Rat	NOAEL 3.6 mg/l	during organogenesis
Propane-1,2-diol	Ingestion	Not toxic to female reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
Propane-1,2-diol	Ingestion	Not toxic to male reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
Propane-1,2-diol	Ingestion	Not toxic to development	Multiple	NOAEL	during

Page: 7 of 12

			animal	1,230	organogenesis
			species	mg/kg/day	
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not toxic to female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not toxic to male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not toxic to development	Rat	NOAEL 15 mg/kg/day	during organogenesis

#### Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
1-propoxypropan-2-ol	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Multiple animal species	LOAEL 10.8 mg/l	6 hours
1-propoxypropan-2-ol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
1-propoxypropan-2-ol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Rat	LOAEL 1,770 mg/kg	not applicable
Propane-1,2-diol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	poisoning and/or abuse
Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
1-propoxypropan-2-ol	Inhalation	liver   kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 9.5 mg/l	11 days
Propane-1,2-diol	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Multiple animal species	NOAEL 1,370 mg/kg/day	117 days
Propane-1,2-diol	Ingestion	kidney and/or bladder	All data are negative	Dog	NOAEL 5,000 mg/kg/day	104 weeks

# **Aspiration Hazard**

Name	Value
------	-------

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### 12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
1- propoxypropan -2-ol	1569-01-3	Water flea	Experimental	48 hours	EC50	>100 mg/l
1- propoxypropan -2-ol	1569-01-3	Rainbow trout	Experimental	96 hours	LC50	>100 mg/l
1- propoxypropan -2-ol	1569-01-3	Green algae	Experimental	96 hours	EC50	1,466 mg/l
Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one	55965-84-9	Water flea	Experimental	21 days	NOEC	0.172 mg/l
Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.07 mg/l
Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one	55965-84-9	Water flea	Experimental	48 hours	EC50	0.18 mg/l
Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one	55965-84-9	Green algae	Experimental	96 hours	EC50	0.062 mg/l
Propane-1,2- diol	57-55-6	Green algae	Experimental	96 hours	EC50	19,000 mg/l
Propane-1,2- diol	57-55-6	Water flea	Experimental	48 hours	LC50	4,919 mg/l
Propane-1,2-diol	57-55-6	Fathead minnow	Experimental	96 hours	LC50	710 mg/l

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
1-	1569-01-3	Experimental	20 days	BOD	64 % weight	Other methods
propoxypropan -2-ol		Biodegradation				

Mixture of 5-	55965-84-9	Experimental	28 days	CO2 evolution	48 % weight	Other methods
chloro-2-		Biodegradation				
methyl-2H-						
isothiazol-3-						
one and 2-						
methyl-2H-						
isothiazol-3-						
one						
Propane-1,2-	57-55-6	Experimental	28 days	BOD	90 % weight	OECD 301C - MITI
diol		Biodegradation				test (I)

#### 12.3: Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
1-	1569-01-3	Estimated		Bioaccumulati	3	Estimated:
propoxypropan		Bioconcentrati		on factor		Bioconcentration factor
-2-ol		on				
Mixture of 5-	55965-84-9	Estimated		Log Kow	0.5	Other methods
chloro-2-		Bioconcentrati				
methyl-2H-		on				
isothiazol-3-						
one and 2-						
methyl-2H-						
isothiazol-3-						
one						
Propane-1,2-	57-55-6	Experimental		Log Kow	-0.92	Other methods
diol		Bioaccumulati				
		on				

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

## 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

# **SECTION 14: Transportation information**

ADR / IMDG / IATA: Not restricted for transport.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

#### 15.2. Chemical Safety Assessment

Not applicable

R10

# **SECTION 16: Other information**

#### List of relevant H statements

H226 Flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	EUH066	Repeated exposure may cause skin dryness or cracking.
H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.	H226	Flammable liquid and vapour.
H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.	H301	Toxic if swallowed.
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.	H311	Toxic in contact with skin.
H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.	H314	Causes severe skin burns and eye damage.
H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.	H317	May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.	H319	Causes serious eye irritation.
H400 Very toxic to aquatic life.	H331	Toxic if inhaled.
· · · · · · · · · · · · · · · · · · ·	H336	May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.

#### List of relevant R-phrases Flammable.

R23	Toxic by inhalation.
R24	Toxic in contact with skin.
R25	Toxic if swallowed.
R34	Causes burns.
R36	Irritating to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

#### **Revision information:**

**Revision Changes:** 

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 8: Occupational exposure limit table information was modified.

OEL Reg Agency Desc information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our

A33. (	Duik De	tailer	(19-187B):	A3316.	A3332
AJJ. (	Juin Di	tancı	(エノーエひ/レル・	AJJIU.	AJJJZ

knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk

Page: 12 of 12